








关于我们  
ABOUT US

Yuyao Feifan Commodity Factory is a factory with more than ten years of experience in cosmetics and bags. The factory is located in Yuyao City, Zhejiang Province, with convenient transportation. Hangzhou Airport and Ningbo Airport are close at hand, close to Shanghai Port and Ningbo Port, and the shipping is more convenient.

The company mainly produces emulsion pump, spray pump, foam pump, vacuum bottle, PETG high-end makeup bottle and all kinds of spray gun and other daily packaging products. Up to now, the factory has been introducing talents. At present, it has a skilled and experienced R & D team, committed to the independent research and development of the first products for a long time, but also can customize all kinds of package materials according to customer needs. The company has strong technical force and advanced production equipment, with a factory area of about 10000 square meters and advanced automatic assembly workshop, annual production of all kinds of sprayers about 100000000 pieces, products exported to the world, sincerely welcome new and old customers to visit.

余姚市飞凡日用品厂是一家有十多年化妆品包材经验的工厂，本工厂位于浙江省余姚市，交通便捷，杭州机场和宁波机场近在咫尺，靠近上海港和宁波港，海运较为便利。

公司主要生产乳液泵、喷雾泵、泡沫泵、真空瓶、PETG高端化妆瓶以及各类喷枪等日化包装产品。成立至今工厂不断引进人才，目前拥有一支技术精湛、经验丰富的研发团队，长期致力于先产品的自主研发、也可根据客户需求定制各类包材。公司拥有雄厚的技术力量和先进的生产设备，有厂房面积约10000平方米和先进的自动化组装车间，年产各类喷雾器约100000000件，产品远销全球，竭诚欢迎新老客户光临。

-  Sprayer Pen  
P31-31
-  Cap  
P32-33
-  Credit Card Perfume Bottle  
P34-34
-  Airless Bottle  
P35-37
-  Cream Jar  
P38-39
-  Bottle  
P40-46
-  PET Perform  
P47-49
-  Detergent Bottle  
P50-50
-  Dropper  
P51-51
-  Plastic Tube  
P52-53

- Mini Trigger Sprayer  
P02-03 
- Trigger Sprayer  
P04-13 
- Fine Mist Sprayer  
P14-17 
- Foam Pump  
P18-19 
- Spring Outside Cream Pump  
P20-20 
- Oil Pump  
P21-21 
- Perfume Sprayer  
P21-21 
- Lotion Pump-screw  
P22-23 
- Lotion Pump-left right  
P24-25 
- Lotion Pump-big  
P26-27 
- Cream Pump  
P28-28 
- Tube Cream Pump  
P29-29 
- Nail Pump  
P30-30 

CONTENTS


# MINI TRIGGER SPRAYER

Discharge Rate:  
**0.26-0.30ml/T**

### Closure Options



### Lock Options



**CT01-1**  
Ø20/410S, Ø24/410S, Ø24/410  
Ø24/415S, Ø28/410S, Ø28/410  
Discharge Rate: 0.26-0.30ml/T



**CT01-1+1**  
Ø24/410S, Ø24/410  
Ø24/415S, Ø28/410S, Ø28/410  
Discharge Rate: 0.26-0.30ml/T



**CT01-2**  
Ø24/410S, Ø24/415S  
Ø28/410S, Ø24/410, Ø28/410  
Discharge Rate: 0.26-0.30ml/T



**CT01-2+1**  
Ø24/410S, Ø24/410  
Ø24/415S, Ø28/410S, Ø28/410  
Discharge Rate: 0.26-0.30ml/T



**CT01-3**  
Ø24/410, Ø24/410S  
Ø24/415S, Ø28/410, Ø28/410S  
Discharge Rate: 0.26-0.30ml/T



**CT01-3+1**  
Ø24/410, Ø24/410S  
Ø24/415S, Ø28/410, Ø28/410S  
Discharge Rate: 0.26-0.30ml/T



**CT01-4**  
Ø20/410S, Ø24/410S, Ø28/410S  
Discharge Rate: 0.26-0.30ml/T



**CT01-5**  
Ø20/410S, Ø24/410S, Ø28/410S  
Discharge Rate: 0.26-0.30ml/T



**CT01-6**  
Ø20/410S, Ø24/410S, Ø28/410S  
Discharge Rate: 0.26-0.30ml/T



**CT01-7**  
Ø24/410S  
Discharge Rate: 0.17-0.20ml/T



**CT02-1**  
Ø24/410S, Ø28/410S, Ø28/410  
Discharge Rate: 0.55-0.60ml/T



**CT02-2**  
Ø24/410, Ø24/410S  
Discharge Rate: 0.90-1.10ml/T

# TRIGGER SPRAYER



Discharge Rate: **1.20-1.40ml/T**

Ø28/400, Ø28/410, Ø28/415



### Closure Options




### Nozzle Options



Discharge Rate: **1.10-1.30ml/T**

Ø28/400, Ø28/410, Ø28/415



### Nozzle Options



### Trigger Options




### Closure Options



# FOAM TRIGGER SPRAYER

Discharge Rate: 1.30-1.50ml/T

Ø28/400, Ø28/410, Ø28/415




UPSIDE DOWN  
D1

CT03-10

CT03-11

CT03-12

CT03-13



### Nozzle Options



N1 Foam/Spray  
N2 Spray/Spray

### Trigger Options



T1 Two Finger Trigger  
T2 Normal Trigger  
T3 Three Finger Trigger

### Closure Options



C1 Ø28/400  
C2 Ø28/410  
C3 Ø28/415  
C4 Ø28/410(Ratchet)  
C5 Ratchet

# OIL TRIGGER SPRAYER

Discharge Rate: 1.30-1.50ml/T


Ø28/400, Ø28/410, Ø28/415

## Be Applied To High Viscosity Liquid



CT03-14

CT03-15



### Nozzle Options




N3 Spray/Spray/Oil

### Trigger Options



T1 Two Finger Trigger  
T2 Normal Trigger  
T3 Three Finger Trigger

### Closure Options



C1 Ø28/400  
C2 Ø28/410  
C3 Ø28/415  
C4 Ø28/410(Ratchet)  
C5 Ratchet

# TRIGGER SPRAYER

Discharge Rate:  
**0.80-0.90ml/T**

## Nozzle Options




N1 Spray/Spray   N2 PlasticFoam   N3 Spray/Spray   N4 Foam/Spray   N5 Spray/Spray

## Trigger Options




T1 Normal Trigger   T2 Water Drop Trigger   T3 Pot Trigger

## Closure Options



C1 Ø28/400   C2 Ø28/410   C3 Ø28/415   C4 Ø28/410(Ratchet)   C5 Rechat



Discharge Rate: **0.80-0.90ml/T**

Ø28/400, Ø28/410, Ø28/415



CT03-19



CT03-20



CT03-21



CT03-22



CT03-23



CT03-24



CT03-25



CT03-26



CT03-27



CT03-28



CT03-29



CT03-30



CT03-31



CT03-32



CT03-33

# TRIGGER SPRAYER

Discharge Rate: **0.70-0.90**ml/T

∅28/400, ∅28/410



**CT03-40**



**CT03-41**

∅24/410S, ∅28/400, ∅28/410



**CT03-42**



**CT03-43**



**CT03-44**



**CT03-45**




Discharge Rate: **0.30-0.40**ml/T

∅24/410, ∅28/410



**CT04-1**



**CT04-1-A**



**CT04-1-B**




**CT04-1-C**



Item No.	Capacity (ml)	Caliber (mm)	Bottle (∅) (mm)	Bottle (H) (mm)	PCS/CTN	CTN SIZE (cm)	G.W. (kg)	N.W. (kg)
CT-AL30	30	20	∅32	76	400	43x43x32	4.9	3.9
CT-AL50	50	24	∅35	85	500	43x43x46	7.4	5.3
CT-AL65	65	24	∅35	95	400	43x43x42	6.6	5.6
CT-AL80	80	24	∅35	106	400	43x43x46	7.0	6.0
CT-AL100	100	24	∅40	110	400	43x43x46	8.6	7.6
CT-AL120	120	24	∅40	115	300	43x43x42	7.2	8.3
CT-AL120	120	24	∅45	135	300	48x48x36	7.8	6.9
CT-AL150	150	24	∅45	143/145	300	48x48x45	8.2	7.2
CT-AL250	250	24/28	∅48	176	200	52x52x38	8.1	7.1
CT-AL200	200	24/28	∅50	150	200	52x52x32	7.0	6.0
CT-AL500S	500	24/28	∅65	190	120	59x41x39	8.2	7.2

# TRIGGER SPRAYER



Discharge Rate:  
**0.65-0.85ml/T**

## Nozzle Options




N1 Spray/Stream   N2 Plastic Foam   N3 Spray/Spray   N4 Plastic Foam   N5 Spray/Stream   N6 Foam/Spray

## Trigger Options



T1 Normal Trigger   T2 Two Finger Trigger   T3 Big Trigger   T4 New Two Trigger   T5 Fronsting Trigger   T6 Three Finger Trigger

## Closure Options



C1 Ø28/400   C2 Ø28/410   C3 Ø28/415   C4 Ø28/410(Ratchet)   C5 Ø28/400

Discharge Rate: **0.65-0.85ml/T**

Ø28/400, Ø28/410, Ø28/415



CT04-1-1



CT04-2



CT04-3



CT04-4



CT04-5



CT04-6



CT04-7



CT04-8



CT04-9



CT04-10



CT04-11



CT04-12



CT04-13



CT04-14

# FINE MIST SPRAYER




Discharge Rate:  
**0.12-0.14ml/T**



### Closure Options



### Closure Options



**CT05-1**  
Discharge Rate: 0.12-0.14ml/T





# FINE MIST SPRAYER



Be Applied To High Viscosity Liquid




Discharge Rate: 0.12-0.14ml/T



# FOAM PUMP

# FOAM PUMP

CENTER



CT06-1  
Ø30/410



CT06-2  
Ø40/410, Ø43/410



CT06-3  
Ø30/410, Ø43/410



CT06-4  
Ø43/410

Discharge Rate: 0.40ml/T, 0.80ml/T, 1.20ml/T, 1.60ml/T



CT06-5  
Ø28/410



CT06-6  
Ø28/410



CT06-8  
Ø40/410, Ø43/410



CT06-14  
Ø40/410



CT06-10  
Ø40/410



CT06-11  
Ø43/410



CT06-12  
Ø43/410



CT06-13  
Ø43/410



CT06-14  
Ø43/410




CT06-15  
Ø43/410

## SPRING OUTSIDE CREAM PUMP

### SPRING OUTSIDE

Ø22/400, Ø22/400, Ø22/410, Ø24/400, Ø24/410

Discharge Rate: **0.43-0.53**ml/T



CT07-1+1

CT07-2+1

CT07-3-AL

CT07-4



CT07-5

CT07-5-AL

CT07-6

CT07-6-AL



CT07-7

CT07-9

CT07-10  
Discharge Rate:0.20-0.30ml/T

CT07-12  
Discharge Rate:0.20-0.30ml/T

## OIL PUMP

Discharge Rate: **0.90-1.10**ml/T



Ø20/410, Ø24/410  
CT12-1



Ø20/410, Ø24/410  
CT12-2



Ø20/410, Ø24/410, Ø28/410  
CT12-3



Ø20/410  
CT12-4



Ø24/410  
CT12-4



Ø28/410  
CT12-4

## PERFUME SPRAYER

Ø15/400, Ø18/400, Ø20/400



C1  
Ø15

C2  
Ø18

C3  
Ø20

C4  
Ø15

C5  
Ø18

C6  
Ø20



CT14-1  
Discharge Rate:  
0.06-0.08ml/T



CT14-2  
Discharge Rate:  
0.06-0.08ml/T



CT14-3  
Discharge Rate:  
0.08-0.10ml/T




CT14-4  
Discharge Rate:  
0.08-0.10ml/T



CT14-5  
Discharge Rate:  
0.12-0.13ml/T

# LOTION PUMP

-Screw



Discharge Rate:  
**1.50-2.00ml/T**

∅24/410, ∅24/415, ∅28/400, ∅28/410, ∅28/415



## Nozzle Options



## Closure Options



Discharge Rate: **1.50-2.00ml/T**



# LOTION PUMP

-left Right




360°

Discharge Rate:  
1.00-1.50ml/T  
2.20-2.60ml/T

## Nozzle Options



## Closure Options



Discharge Rate: 1.00-1.50ml/T



CT09-1



CT09-2



CT09-3



CT09-4



CT09-5



CT09-6



CT09-8



CT09-9

Discharge Rate: 2.20-2.60ml/T



CT11-1

Spring Inside



CT11-3



CT11-09

Spring Outside



CT11-10



CT11-11

CT11-2

# LOTION PUMP-Big

## Nozzle Options



## Closure Options



Discharge Rate: 3.50-4.00ml/T



Discharge Rate:  
15ml/T, 20ml/T, 25ml/T, 30ml/T



# CREAM PUMP



Discharge Rate: **0.22-0.26**ml/T

Ø18/410, Ø18/415, Ø20/410, Ø24/410



# TUBE CREAM PUMP

Discharge Rate: **0.22-0.26**ml/T



# NAIL PUMP

Discharge Rate: **0.50-0.60ml/T**



ITEM NO.	CT15-T33240	CT15-T33180	CT15-T33150	CT15-E33240	CT15-E33190	CT15-E33210	CT15-E33100	CT15-E33180	CT15-E3190-1	CT15-E33150	CT15-E3380
Capacity (ml)	240ml	180ml	150ml	240ml	130ml	210ml	100ml	180ml	180ml	150ml	80ml
Height (mm)	33mm	33mm	33mm	33mm	33mm	33mm	33mm	33mm	33mm	33mm	33mm
Weight (g)	25g	21g	20.5g	25g	18g	21g	17.5g	20g	21g	20g	13g
Width (mm)	108mm	81mm	73mm	108mm	104mm	96mm	85mm	85mm	81mm	73mm	66mm
Depth (mm)	121mm	94mm	86mm	121mm	116mm	110mm	98mm	98mm	92mm	87mm	79mm
Bottom (mm)	57mm	57mm	57mm	57mm	44mm	56mm	44mm	55.5mm	57mm	57mm	44mm
MATERIAL	PET			PE			HDPE		PE		



ITEM NO.	CT15-P90	CT15-P15033	CT15-P170	CT15-P33180	CT15-P33190	CT15-P15028	CT15-P28220
Capacity (ml)	90ml	150ml	170ml	180ml	190ml	150ml	220ml
Height (mm)	33mm	33mm	33mm	33mm	33mm	28mm	28mm
Weight (g)	10g	16.5g	20g	20g	20g	16.5g	18.5g
Width (mm)	57mm	73mm	81mm	80mm	82mm	70mm	85mm
Depth (mm)	69mm	82mm	93mm	94mm	95mm	86mm	101mm
Bottom (mm)	49mm	57mm	56mm	bottom 68mm top 45mm	bottom 57mm top 62mm	56mm	63mm
MATERIAL	PP						

# SPRAYER PEN

Discharge Rate: **0.12-0.14ml/T**



## Plastic bottle



CT18-6

## Glass bottle



CT18-8

CT18-9

CT18-10



# CAP

## -Flip Cap



## -Push Pull Cap



## -Press Cap



# CAP

## -Pointed Mouth Cap



## -Inerplug



## -Plastic Cap



## -Aluminum Cap



## CREDIT CARD PERFUME BOTTLE



**CT20-1+2**

Size:72x72mm  
Capacity:10ml  
Thickness:12mm  
Weight:16g



**CT20-1+1**

Size:43x73mm  
Capacity:10ml  
Thickness:10.5mm  
Weight:12.7g



**CT20-2+1**

Size:37x86mm  
Capacity:12ml  
Thickness:11mm  
Weight:13.5g



**CT20-3+1**

Size:43x87mm  
Capacity:15ml  
Thickness:12mm  
Weight:15.5g



**CT20-3+2**

Size:47x83mm  
Capacity:15ml  
Thickness:11mm  
Weight:16g



**CT20-4+1**

Size:71x87mm  
Capacity:16ml  
Thickness:11mm  
Weight:20g



**CT20-4+2**

Size:50x118mm  
Capacity:16ml  
Thickness:15mm  
Weight:20g



**CT20-5+1**

Size:56x87mm  
Capacity:20ml  
Thickness:11mm  
Weight:20.5g



**CT20-5+2**

Size:55x93mm  
Capacity:20ml  
Thickness:11mm  
Weight:22g



**CT20-5+3**

Size:50x118mm  
Capacity:20ml  
Thickness:15mm  
Weight:20g



**CT20-5+4**

Size:43x91mm  
Capacity:20ml  
Thickness:14mm  
Weight:16.7g



**CT20-5+5**

Size:58x81mm  
Capacity:20ml  
Thickness:15mm  
Weight:17.3g



**CT20-5+6**

Size:43x107mm  
Capacity:20ml  
Thickness:14mm  
Weight:18g



**CT20-5+7**

Size:76mm  
Capacity:20ml  
Thickness:14mm  
Weight:28g



**CT20-5+8**

Size:86x56mm  
Capacity:20ml  
Thickness:12mm  
Weight:21.5g



**CT30-6+1**

Size:86x109mm  
Capacity:30ml  
Thickness:18mm  
Weight:26.5g

## AIRLESS BOTTLE



**CT-A01**

Capacity:15ml,30ml,50ml  
Discharge Rate:0.25-0.28ml/T



**CT-A02**

Capacity:15ml,30ml,50ml  
Discharge Rate:0.25-0.28ml/T



**CT-A03**

Capacity:15ml,30ml,50ml  
Discharge Rate:0.25-0.28ml/T



**CT-A04**

Capacity:15ml,30ml,50ml  
Discharge Rate:0.25-0.28ml/T

## AIRLESS BOTTLE



**CT-A05**

Capacity: 15ml, 30ml, 50ml  
Discharge Rate: 0.25-0.28ml/T



**CT-A06**

Capacity: 15ml, 30ml, 50ml  
Discharge Rate: 0.25-0.28ml/T



**CT-A07**

Capacity: 15ml, 30ml, 50ml  
Discharge Rate: 0.25-0.28ml/T



**CT-A08**

Capacity: 15ml, 30ml, 50ml  
Discharge Rate: 0.25-0.28ml/T



**CT-A09**

Capacity: 15ml, 30ml, 50ml  
Discharge Rate: 0.25-0.28ml/T



**CT-A11**

Capacity: 15ml, 30ml, 50ml  
Discharge Rate: 0.25-0.28ml/T



**CT-A12**

Capacity: 15ml, 30ml, 50ml,  
80ml, 100ml, 120ml  
Discharge Rate: 0.25-0.28ml/T

# CREAM JAR



**CT-AJ02**  
Capacity:30g,50g



**CT-AJ05**  
Capacity:15g,30g,50g



**CT-B07**  
Capacity:20g,50g,100g,250g



**CT-B08**  
Capacity:500g



**CT-B01**  
Capacity:3g,5g



**CT-B02**  
Capacity:3g,5g



**CT-B03**  
Capacity:5g



**CT-B04**  
Capacity:10g



**CT-B05**



**CT-B06**  
Capacity:5g, 10g, 15g,20g,30g,50g

# BOTTLE-PET



30ml

**CT2030Y**  
 Ø20/410  
 W:6.5g  
 H:80mm  
 Dia.:28mm



50ml

**CT2050Y**  
 Ø20/410  
 W:10g  
 H:88mm  
 Dia.:32mm



60ml

**CT2060Y**  
 Ø20/410  
 W:10g  
 H:104mm  
 Dia.:32mm



70ml

**CT2070Y**  
 Ø20/410  
 W:12g  
 H:102mm  
 Dia.:37mm



100ml

**CT20100Y**  
 Ø20/410  
 W:12g  
 H:118mm  
 Dia.:38.5mm



50ml

**CT2450Y**  
 Ø24/410  
 W:12g  
 H:93mm  
 Dia.:32mm



100ml

**CT24100Y**  
 Ø24/410  
 W:16g  
 H:119mm  
 Dia.:39mm



150ml

**CT24150Y**  
 Ø24/410  
 W:19g  
 H:147mm  
 Dia.:41mm



200ml

**CT24200Y**  
 Ø24/410  
 Weight:22g  
 H:154mm  
 Dia.:46mm



240ml

**CT24240Y**  
 Ø24/410  
 W:25g  
 H:173mm  
 Dia.:48mm



250ml

**CT24250Y**  
 Ø24/410  
 W:25g  
 H:162mm  
 Dia.:50mm



300ml

**CT24300Y**  
 Ø24/410  
 W:29g  
 H:181mm  
 Dia.:53mm



500ml

**CT24500Y**  
 Ø24/410  
 W:35g  
 H:191mm  
 Dia.:64mm



200ml

**CT28200Y**  
 Ø28/410  
 W:25g  
 H:153mm  
 Dia.:46mm



400ml

**CT28400Y**  
 Ø28/410  
 W:39g  
 H:194mm  
 Dia.:57mm



# BOTTLE-PET



10ml

**CT1810Y**  
 Ø18/410  
 W:4.5g  
 H:52mm  
 Dia.:23mm



20ml

**CT1820Y**  
 Ø18/410  
 W:8.0g  
 H:88mm  
 Dia.:26mm



45ml

**CT2045Y**  
 Ø20/410  
 W:10g  
 H:84mm  
 Dia.:32mm



60ml

**CT2060P**  
 Ø20/410  
 W:10g  
 H:83mm  
 Dia.:36mm



250ml

**CT20250P**  
 Ø20/410  
 W:32g  
 H:148mm  
 Dia.:52mm



150ml

**CT24150P**  
 Ø24/410  
 Weight:19g  
 H:135mm  
 Dia.:44mm



50ml

**CT2050F**  
 Ø20/410  
 W:10g  
 H:87mm  
 Dia.:32mm



100ml

**CT20100F**  
 Ø20/410  
 W:12g  
 H:115mm  
 Dia.:36mm



300ml

**CT28300Z**  
 Ø28/410  
 W:32g  
 H:143mm  
 Dia.:65mm



300ml

**CT28300H**  
 Ø28/410  
 W:32g  
 H:179mm  
 Dia.:60mm



350ml

**CT28350Z**  
 Ø28/410  
 W:25g  
 H:127mm  
 Dia.:88mm



500ml

**CT28500Y**  
 Ø28/410  
 W:39g  
 H:167mm  
 Dia.:75mm



550ml

**CT28550P**  
 Ø28/410  
 W:48g  
 H:208mm  
 Dia.:56x82.5mm

## BOTTLE-PET



<b>CT-L2030PA</b> Ø20/410 W:8g H:81mm Dia.:28mm	<b>CT-L2030PB</b> Ø20/410 W:6g H:60mm Dia.:32.5mm	<b>CT-L2030PC</b> Ø20/410 W:8g H:88mm Dia.:26mm	<b>CT-L2040P</b> Ø20/410 W:6g H:72.5mm Dia.:32mm	<b>CT-L2450P</b> Ø24/410 W:12g H:96mm Dia.:32mm	<b>CT-L2050P</b> Ø20/410 W:13g H:89mm Dia.:32mm	<b>CT-L2060P</b> Ø20/410 W:15g H:101mm Dia.:32mm
---	---	---	--	---	---	--



<b>CT-L2080P</b> Ø20/410 W:15g H:126mm Dia.:32mm	<b>CT-L2460P</b> Ø24/410 W:16g H:103mm Dia.:32mm	<b>CT-L24100P</b> Ø24/410 W:19g H:119mm Dia.:38mm	<b>CT-L24120P</b> Ø24/410 W:22g H:125mm Dia.:40mm	<b>CT-L24150P</b> Ø24/410 W:25g H:133mm Dia.:43mm	<b>CT-L24180P</b> Ø24/410 W:22g H:139mm Dia.:46mm
--	--	---	---	---	---



<b>CT-L24200PA</b> Ø24/410 W:23g H:172mm Dia.:43mm	<b>CT-L24200PB</b> Ø24/410 W:30g H:143mm Dia.:47mm	<b>CT-L24250P</b> Ø24/410 W:30g H:153mm Dia.:51mm	<b>CT-L20100D</b> Ø20/410 W:19g H:125mm Dia.:43mm	<b>CT-L24100D</b> Ø24/410 W:22g H:119mm Dia.:41mm	<b>CT-L24120D</b> Ø24/410 W:22g H:135mm Dia.:41mm
--	--	---	---	---	---

## BOTTLE-PET



<b>CT-L2060BP</b> Ø20/410 W:8g H:92mm Dia.:45x27mm	<b>CT-L2060F</b> Ø20/410 W:8g H:85mm Dia.:31mm	<b>CT-L2050YA</b> Ø20/410 W:8g H:86mm Dia.:32mm	<b>CT-L2050YB</b> Ø20/410 W:13g H:82mm Dia.:36mm
--	--	---	--



<b>CT-L2030YA</b> Ø20/410 W:6g H:68mm Dia.:28mm	<b>CT-L2030YB</b> Ø20/410 W:8g H:79mm Dia.:28.5mm	<b>CT-L2060Y</b> Ø20/410 W:10g H:102.5mm Dia.:32mm	<b>CT-L2080Y</b> Ø20/410 W:8g H:101mm Dia.:36mm	<b>CT-L20100Y</b> Ø20/410 W:10g H:107mm Dia.:40mm	<b>CT-L2460Y</b> Ø24/410 W:12g H:94mm Dia.:35mm
---	---	--	---	---	---



<b>CT-L24100Y</b> Ø24/410 W:19g H:119mm Dia.:38mm	<b>CT-L24120Y</b> Ø24/410 W:22g H:135mm Dia.:40mm	<b>CT-L24130Y</b> Ø24/410 W:18g H:140mm Dia.:41.5mm	<b>CT-L24150Y</b> Ø24/410 W:22g H:135mm Dia.:42.5mm	<b>CT-L24200Y</b> Ø24/410 W:30g H:163mm Dia.:45mm	<b>CT-L24250Y</b> Ø24/410 W:30g H:175mm Dia.:48mm
---	---	---	---	---	---

## BOTTLE-FOAM PUMP



120ml

**CT40120Y**

Ø40/410  
W:30g  
H:99mm  
Dia.:52mm



250ml

**CT40250Y**

Ø40/410  
W:30g  
H:116mm  
Dia.:63mm



250ml

**CT40250B**

Ø40/410  
W:30g  
H:116mm  
Dia.:80mm



300ml

**CT40300B**

Ø40/410  
W:40g  
H:120mm  
Dia.:93mm



340ml

**CT40340B**

Ø40/410  
W:40g  
H:132mm  
Dia.:87mm



80ml

**CT4380Y**

Ø43/410  
W:15g  
H:88mm  
Dia.:48mm



100ml

**CT43100Y**

Ø43/410  
W:25g  
H:99mm  
Dia.:48mm



120ml

**CT43120Y**

Ø43/410  
W:25g  
H:105mm  
Dia.:48mm



150ml

**CT43150Y**

Ø43/410  
W:25g  
H:121mm  
Dia.:48mm



150ml

**CT43150S**

Ø43/410  
W:25g  
H:118mm  
Dia.:65mm



170ml

**CT43170Y**

Ø43/410  
W:25g  
H:131mm  
Dia.:48mm



200ml

**CT43200Y**

Ø43/410  
W:40g  
H:155mm  
Dia.:48mm



280ml

**CT43280Y**

Ø43/410  
W:40g  
H:198mm  
Dia.:48mm



540ml

**CT43540Y**

Ø43/410  
W:60g  
H:173mm  
Dia.:70mm

## BOTTLE-PET



30ml

**CT-S2430P**

Ø24/410  
W:9g  
H:65.5mm  
Dia.:32mm



50ml

**CT-S2450P**

Ø24/410  
W:8g  
H:96mm  
Dia.:32mm



55ml

**CT-S2055P**

Ø20/410  
W:8g  
H:89mm  
Dia.:32mm



60ml

**CT-S2460P**

Ø24/410  
W:8g  
H:95.5mm  
Dia.:31mm



80ml

**CT-S2480P**

Ø24/410  
W:11g  
H:88mm  
Dia.:42mm



90ml

**CT-S2490P**

Ø24/410  
W:11g  
H:105mm  
Dia.:37.5mm



95ml

**CT-S2495P**

Ø24/410  
W:15g  
H:167mm  
Dia.:30.5mm



30ml

**CT-S2430T**

Ø24/410  
W:9g  
H:66.5mm  
Dia.:31.5mm



50ml

**CT-S2050B**

Ø20/410  
W:8g  
H:95mm  
Dia.:45mm



55ml

**CT-S2455Y**

Ø24/410  
W:9g  
H:81mm  
Dia.:35mm



60ml

**CT-S2060B**

Ø20/410  
W:8g  
H:96mm  
Dia.:43mm



30ml

**CT-S2030Y**

Ø20/410  
W:8g  
H:77.5mm  
Dia.:27mm



55ml

**CT-S2055Y**

Ø20/410  
W:8g  
H:71.5mm  
Dia.:38mm



60ml

**CT-S2060YA**

Ø20/410  
W:8g  
H:103.5mm  
Dia.:32mm



60ml

**CT-S2060YB**

Ø20/410  
W:9g  
H:105mm  
Dia.:32mm



80ml

**CT-S2080Y**

Ø20/410  
W:9g  
H:92mm  
Dia.:38mm

## BOTTLE-PETG



ITEM NO.	CAPACITY	CALIBER	WEIGHT	HIGH	BOTTLE DIAM.
CT-G24150F	150ml	∅24/410	29g	74mm	58x58mm
CT-G42300F	300ml	∅42	41g	91mm	68x68mm
CT-G42450F	450ml	∅42	60g	140mm	67x67mm
CT-G42600F	600ml	∅42	79g	176mm	68x68mm



ITEM NO.	CAPACITY	HIGH	BOTTLE DIAM.
CT-G001	30ml	58mm	∅39mm
	60ml	84mm	∅41mm
	80ml	91mm	∅45mm
	100ml	101mm	∅46mm



ITEM NO.	CAPACITY	HIGH	BOTTLE DIAM.
CT-G002	30ml	58mm	∅39mm
	60ml	84mm	∅41mm
	80ml	91mm	∅45mm
	100ml	101mm	∅46mm



ITEM NO.	CAPACITY	HIGH	BOTTLE DIAM.
CT-G003	100ml	117mm	∅46mm
	120ml	140mm	∅46mm
	180ml	155mm	∅46mm
	200ml	175mm	∅46mm

## PET PREFORM



型号 / Item No.	直径 / Diam.	高度 / Height	重量 / Weight
CT18-4.5	∅17.7mm	43mm	4.5g
CT18-8	∅17.4mm	59mm	8.0g
CT18-11	∅18.0mm	82mm	11.0g



型号 / Item No.	直径 / Diam.	高度 / Height	重量 / Weight
CT20-6.5	∅19.4mm	49mm	6.5g
CT20-10	∅19.5mm	70mm	10.0g
CT20-12	∅19.42mm	85mm	12.0g
CT20-15	∅19.5mm	84mm	15.0g
CT20-19	∅19.5mm	99mm	19.0g
CT20-23B	∅20.3mm	100mm	23.0g
CT20-23	∅19.42mm	101mm	23.0g



型号 / Item No.	直径 / Diam.	高度 / Height	重量 / Weight
CT24-12	∅23.45mm	70mm	12.0g
CT24-16	∅23.2mm	81mm	16.0g
CT24-19	∅23.32mm	89mm	19.0g
CT24-22	∅23.45mm	108mm	22.0g
CT24-25	∅23.3mm	109mm	25.0g
CT24-29	∅23.28mm	118mm	29.0g
CT24-35	∅23.25mm	137mm	35.0g
CT24-39	∅23.5mm	137mm	39.0g



型号 / Item No.	直径 / Diam.	高度 / Height	重量 / Weight
CT28-8	∅27.40mm	45.00mm	8.0g
CT28-20	∅27.18mm	81.70mm	20.0g
CT28-25	∅27.45mm	107.70mm	25.0g
CT28-29	∅27.50mm	107.60mm	29.0g
CT28-29	∅27.50mm	107.60mm	29.0g
CT28-32	∅27.30mm	118.70mm	32.0g
CT28-35	∅27.40mm	119.00mm	35.0g
CT28-39	∅27.50mm	137.00mm	39.0g
CT28-42	∅27.24mm	136.80mm	42.0g
CT28-44C	∅27.40mm	146.00mm	44.0g



# PET PREFORM



型号 / Item No.	直径 / Diam.	高度 / Height	重量 / Weight
CT28-44A	∅27.32mm	140.70mm	44.0g
CT28-44B	∅27.00mm	141.00mm	44.0g
CT28-48	∅27.25mm	150.50mm	48.0g
CT28-48	∅27.25mm	150.50mm	48.0g
CT28-55	∅27.35mm	151.00mm	55.0g
CT28-65	∅27.42mm	163.55mm	65.0g



型号 / Item No.	直径 / Diam.	高度 / Height	重量 / Weight	型号 / Item No.	直径 / Diam.	高度 / Height	重量 / Weight
CT36-12	∅34.45mm	49.0mm	12.0g	CT40-30/40	∅39.5mm	91.0mm	30.0/40.0g
CT36-19	∅36.5mm	69.0mm	19.0g	CT43-26	∅42.1mm	89.0mm	26.0g
CT36-19K	∅37.4mm	69.0mm	19.0g				
CT36-22	∅36.5mm	69.0mm	22.0g				



型号 / Item No.	直径 / Diam.	高度 / Height	重量 / Weight	型号 / Item No.	直径 / Diam.	高度 / Height	重量 / Weight
CT30-12	∅29.50mm	52.0mm	12.0g	CT50-20	∅49.60mm	36.6mm	20.0g
CT30-19	∅29.50mm	80.0mm	19.0g	CT56-18	∅56.00mm	37.4mm	18.0g
CT30-24	∅29.70mm	88.0mm	24.0g	CT56-18	∅56.00mm	36.0mm	18.0g
CT32-23	∅31.50mm	99.6mm	23.0g	CT77-36	∅76.60mm	69.0mm	36.0g
CT32-35	∅31.67mm	114.8mm	35.0g	CT83-43	∅83.00mm	77.8mm	43.0g
CT32-39	∅31.62mm	114.5mm	39.0g	CT83-35	∅83.00mm	61.2mm	35.0g
CT32-47	∅31.60mm	136.0mm	47.0g	CT36-19	∅36.00mm	70.0mm	19.0g
CT32-70	∅31.30mm	179.0mm	70.0g	CT37-22	∅36.30mm	70.0mm	22.0g
CT32-25	∅31.60mm	95.1mm	25.0g	CT43-25	∅43.00mm	86.0mm	25.0g
CT32-42	∅31.60mm	135.0mm	42.0g	CT42-27	∅42.00mm	90.0mm	27.0g
CT32-55	∅31.60mm	151.8mm	55.0g	CT42-40	∅42.00mm	114.4mm	40.0g
CT32-59	∅31.60mm	158.6mm	59.0g	CT42-60	∅41.80mm	119.0mm	60.0g
CT32-65	∅31.60mm	159.4mm	65.0g	CT32-23	∅32.00mm	98.0mm	23.0g
CT32-75	∅31.60mm	179.0mm	75.0g	CT32-33	∅32.00mm	129.3mm	33.0g
CT32-80	∅31.60mm	199.0mm	80.0g	CT20-23	∅20.00mm	101.0mm	23.0g
CT32-88	∅31.60mm	189.0mm	88.0g	CT24-25	∅24.00mm	109.0mm	25.0g
CT32-100	∅31.60mm	195.7mm	100.0g	CT24-35	∅24.00mm	137.3mm	35.0g
CT47-10	∅46.40mm	27.1mm	20.0g	CT24-32	∅24.00mm	109.9mm	32.0g
CT47-29	∅46.60mm	43.0mm	29.0g				



型号 / Item No.	直径 / Diam.	高度 / Height	重量 / Weight	型号 / Item No.	直径 / Diam.	高度 / Height	重量 / Weight
CT47-10	∅46.5mm	27.0mm	10.0g	CT56-16	∅55.8mm	36.0mm	16.0g
				CT56-18	∅55.7mm	38.0mm	18.0g



型号 / Item No.	直径 / Diam.	高度 / Height	重量 / Weight	型号 / Item No.	直径 / Diam.	高度 / Height	重量 / Weight
CT68-16	∅66.9mm	33.0mm	16.0g	CT68-25	∅55.0mm	67.0mm	25.0g
CT68-18	∅67.1mm	45.0mm	18.0g	CT68-29	∅67.4mm	54.0mm	29.0g
CT68-22	∅67.0mm	44.0mm	22.0g	CT68-60	∅67.4mm	121.0mm	60.0g



型号 / Item No.	直径 / Diam.	高度 / Height	重量 / Weight
CT89-35	∅87.7mm	50.0mm	35.0g
CT89-43	∅89.0mm	49.0mm	43.0g
CT89-65	∅88.0mm	96.0mm	65.0g

## DETERGENT BOTTLE



**CT-X01**  
Capacity:680ml



**CT-X05**  
Capacity:1000ml



**CT-X02**  
Capacity:1000ml



**CT-X03**  
Capacity:2000ml



**CT-X04**  
Capacity:3000ml

ITEM NO.	CT-X01	CT-X02	CT-X03	CT-X04	CT-X05
容量 (ml)	680ml	1000ml	2000ml	3000ml	1000ml
口径 (mm)	32mm	53mm	53mm	53mm	53mm
重量 (g)	132g	135g	177g	222g	127g
高度 (mm)	205mm	210mm	250mm	280mm	225mm
宽度 (mm)	270mm	260mm	300mm	330mm	277mm
直径 (mm)	110x100mm	105x82mm	140x97mm	150x112mm	72x103mm

## DROPPER



13/400 P13A    13/400 P13B    13/410 P13C    18/410 P18A    18/410 P18B    20/410 P20A    13/410 P13D    13/410 P13E    18/410 P18C



13/400 L13A    13/410 L13B    18/400 L18A    18/410 L18B    20/400 L20A    20/410 L20B    13/410 L13C    18/410 L18C    18/410 L18D



**Glass Tube**



**Dropper Cap**

# PLASTIC TUBE



Roll On

Brush

Sponge

Massage



A

B

C

D

E

F

G

Different pumps for airless tube



# VOLUME TO SIZE CHART

Inches >	1/2"	5/8"	3/4"	7/8"	1"	1 1/8"	1 1/4"	1 3/8"	1 1/2"	1 5/8"	1 3/4"	1 7/8"	2"	2 1/8"	2 1/4"										
millimeter	13	16	19	22	25	30	35	38	39	40	45	50	55	60											
ML																									
Fl oz																									
	3	0.10																							
	5	0.17																							
	8	0.27	85	70																					
	10	0.34	75	55																					
	15	0.51		80	67																				
	20	0.68			85	70																			
	25	0.85			105	80																			
	30	1.00				90	75																		
	35	1.18				100	82																		
	40	1.35				110	90																		
	45	1.52				120	98																		
	50	1.69				130	105																		
	55	1.86					113																		
	60	2.00					121	105																	
	65	2.20						129	110																
	70	2.37							137	115															
	75	2.54								120	110	108	105												
	80	2.71								125	115	113	110												
	85	2.87								130	120	118	115												
	90	3.04								135	125	123	120												
	95	3.21								140	130	128	125	100											
	100	3.38								145	135	133	130	105											
	110	3.72								150	140	138	135	115											
	120	4.06								155	145	143	140	125	105										
	125	4.23								160	150	148	145	130	108										
	130	4.40								165	155	153	150	145	111										
	135	4.57								165	158	155	150	114											
	140	4.73								165	163	160	155	117											
	145	4.90								170	168	165	160	120											
	150	5.07								173	170	165	123												
	155	5.24									175	170	126												
	160	5.41									180	175	129												
	165	5.58									185	180	132												
	170	5.75										185	135	120											
	175	5.92											138	123											
	180	6.09												141	126										
	185	6.26													144	129									
	190	6.43														147	133								
	195	6.59															150	137							
	200	6.76																153	140	120					
	210	7.10																	159	147	125				
	220	7.44																		165	154	130			
	230	7.78																			171	161	135		
	240	8.12																				177	168	140	
	250	8.45																					183	175	145
	260	8.79																						182	150
	270	9.13																							155
	280	9.47																							160
	290	9.81																							165
	300	10.14																							165
	300	10.14																							185
	360	12.17																							200

